



Fine Plastic Waste Rotation

# FINE PLASTIC WASTE ROTATION

"EXCELLENCE IN EVERY PRODUCTION"

## PRODUCTS CATALOGUE



**+971-555142725**



**Fineplastic.me**



**Fineplasticdxb@gmail.com**

## TABLE OF CONTENT

Sr. No	Content	Page #
1	ISO Certificate	3-5
2	About us	6-7
3	Organizational Chart	9-10
4	Road Traffic Cone	11-14
5	Tank Connectors	15
6	Road Barriern Fittings	16
7	Polyethylene Sheet Gauge & Size	17-20
8	Underground Warning Tape	21
9	Polymeric Cable Protection Cover/ Tile	22
10	Warning Boards	23
11	Alu. Foil Detectable Warning Tape	24
12	Anti Corrosive S.S Wire Detectable Warning Tape	25
13	Underground Warning Mesh	26





## CERTIFICATE

### OF REGISTRATION

This is to certify that the Management System of

## Fine Plastic Waste Rotation L L C - SHJ. BR 1

Al Sajaa Industrial Area, Sharjah, United Arab Emirates.

has been assessed and registered by Veritas System Quality Certificates as conforming to the requirements of

## ISO 9001:2015

### Quality Management System

The Quality Management System is applicable to:

- Manufacture of Packing and Wrapping Materials
- Manufacturing of Plastic Sheets, Stretch Film, Bubble Wrap
- Convert Waste Plastics or Rubber to make it form of Granules

IAF/EA-NACE Code: 7-17.12, 14-22.21 & 24-38.32


Certificate No : VSQC099-421242118

Initial Certificate Date : 30-07-2024

Surveillance due date / Certificate expiry date: 29-07-2025

Re-certification due date: 29-07-2027

Note: Validity of this certificate is subject to successfully completion of each annual surveillance audit on or before due date, In case surveillance audit is not conducted then this certificate shall be suspended/cancelled.



Authorised Signatory

**Veritas System  
Quality Certificates Issuing LLC**

P.O. Box: 122982, Al Karama, Dubai,  
United Arab Emirates.



This certificate remains valid while the holder maintains the management system in accordance with the standard(s) above, which will be periodically audited by Veritas System Quality Certificates Issuing LLC.

This certificate remains the property of Veritas System Quality Certificates Issuing LLC and must be returned on request. In the issuance of this certificate, Veritas System Quality Certificates Issuing LLC no liability to any party other than to the client, and then only in accordance with the agreed upon certification agreement. Validity of this certificate may be confirmed at [www.veritasassurance.com](http://www.veritasassurance.com), directly through QR code by using any device with correct information or email to [admin@veritasassurance.com](mailto:admin@veritasassurance.com).

Issue No.: 01



[www.veritasassurance.com](http://www.veritasassurance.com)



## CERTIFICATE

OF REGISTRATION

This is to certify that the Management System of

### Fine Plastic Waste Rotation L L C - SHJ. BR 1

Al Sajaa Industrial Area, Sharjah, United Arab Emirates.

has been assessed and registered by Veritas System Quality  
Certificates as conforming to the requirements of

### ISO 14001:2015

#### Environmental Management System

The Environmental Management System is applicable to:

- Manufacture of Packing and Wrapping Materials
- Manufacturing of Plastic Sheets, Stretch Film, Bubble Wrap
- Convert Waste Plastics or Rubber to make it form of Granules

IAF/EA-NACE Code: 7-17.12, 14-22.21 & 24-38.32


Certificate No : VSQC099-421242119

Initial Certificate Date : 30-07-2024

Surveillance due date / Certificate expiry date: 29-07-2025

Re-certification due date: 29-07-2027

Note: Validity of this certificate is subject to successful completion of each annual surveillance audit on or before due date.  
In case surveillance audit is not conducted then this certificate shall be suspended/cancelled.



Authorised Signatory

**Veritas System  
Quality Certificates Issuing LLC**

P.O. Box: 122982, Al Karama, Dubai,  
United Arab Emirates.



This certificate remains valid while the holder maintains the management system in accordance with the standard(s) above,  
which will be periodically audited by Veritas System Quality Certificates Issuing LLC.

This certificate remains the property of Veritas System Quality Certificates Issuing LLC and must be returned on request. In the issuance of this  
certificate, Veritas System Quality Certificates Issuing LLC no liability to any party other than to the client, and then only in accordance with the  
agreed upon certification agreement. Validity of this certificate may be confirmed at [www.veritasassurance.com](http://www.veritasassurance.com), directly through QR  
code by using any device with correct information or email to [admin@veritasassurance.com](mailto:admin@veritasassurance.com).

Issue No.: 01



[www.veritasassurance.com](http://www.veritasassurance.com)





## CERTIFICATE

OF REGISTRATION

This is to certify that the Management System of

### Fine Plastic Waste Rotation L L C - SHJ. BR 1

Al Sajaa Industrial Area, Sharjah, United Arab Emirates.

has been assessed and registered by Veritas System Quality  
Certificates as conforming to the requirements of

## ISO 45001:2018

### Occupational Health & Safety Management System

The Occupational Health & Safety Management System is applicable to:

- Manufacture of Packing and Wrapping Materials
- Manufacturing of Plastic Sheets, Stretch Film, Bubble Wrap
- Convert Waste Plastics or Rubber to make it form of Granules

IAF/EA-NACE Code: 7-17.12, 14-22.21 & 24-38.32


Certificate No : VSQC099-421242120

Initial Certificate Date : 30-07-2024

Surveillance due date / Certificate expiry date: 29-07-2025

Re-certification due date: 29-07-2027

Note: Validity of this certificate is subject to successfully completion of each annual surveillance audit on or before due date,  
In case surveillance audit is not conducted then this certificate shall be suspended/cancelled.



Authorised Signatory

**Veritas System  
Quality Certificates Issuing LLC**

P.O. Box: 122982, Al Karama, Dubai,  
United Arab Emirates.



This certificate remains valid while the holder maintains the management system in accordance with the standard(s) above,  
which will be periodically audited by Veritas System Quality Certificates Issuing LLC.

This certificate remains the property of Veritas System Quality Certificates Issuing LLC and must be returned on request. In the issuance of this  
certificate, Veritas System Quality Certificates Issuing LLC no liability to any party other than to the client, and then only in accordance with the  
agreed upon certification agreement. Validity of this certificate may be confirmed at [www.veritasassurance.com](http://www.veritasassurance.com), directly through QR  
code by using any device with correct information or email to [admin@veritasassurance.com](mailto:admin@veritasassurance.com).

Issue No.: 01



[www.veritasassurance.com](http://www.veritasassurance.com)





Fine Plastic Waste Rotation

# FINE PLASTIC WASTE ROTATION

FINE PLASTIC WASTE ROTATION

## About us



## ABOUT US

We are pleased to introduce ourselves as **Fine Plastic Waste Rotation L.L.C.**, established in 2014. We are located in Al Sajaa Industrial Area, Sharjah, UAE. We manufacture all types of polyethylene sheets using 100% virgin raw material ranging from 100 Gauge to 1500 Gauge, and from 10 meters to 50 meters in length per roll. We have also recently begun with the manufacturing of Stretch Film, Rebar Caps, and traffic safety cones and also Construction buckets of all type ranging from light duty to heavy duty available in yellow, green, blue and orange colors.

The quality of our products and our pricing strategies are designed to meet the local and export standards. And since we are committed for high quality products, We supply across U.A.E and others GCC countries.



## OUR PROCESS

### Our Vision:

Our visions to develop a long term excellent relationship with our customers. We will do this by manufacturing and supplying the best, and technically the latest products, for the safety of Underground Services and he Building Industry In the UAE.

With this in mind, we strive to be your preferred first choice as a high quality products supplier. We aim for not only tapping into the GCC countries but also high potential global and the emerging markets.

### Our Mission & Strengths:

Our mission - Motto —"YOUR SAFETY IS OUR PRIORITY": Our main aim is to 'manufacture and market high quality products always ensuring that your safety is our top priority.

Our strengths - Our people have always been our strength and our experienced staff will work tirelessly with you, our clients, to understand your requirements and to deliver tailored products and innovative solutions in the shortest period of time.

### Our Quality Policy:

Fine Plastic Waste Rotation LLC, like the parent company, will maintain high quality standards and an excellence in safety products, combined with a strong Commitment to customer service and satisfaction. We strongly adhere 10 our 'commitment of operational safety and will consistently look for improvements and the latest innovations in quality products in order to continuously enhance our range in the future. We, at all times, welcome your suggestions to Improve our products and services. 'Together we can work and achieve set goals and targets.

**Omar Shafiq Piracha**

CEO

**Ali Shafiq Piracha**

Managing Director






Fine Plastic Waste Rotation

# FINE PLASTIC WASTE ROTATION

FINE PLASTIC WASTE ROTATION

## Organizational Chart

## Organizational Chart



## Road Traffic Cone



## ROAD TRAFFIC CONE FEATURES



- Made of Virgin grade raw material
- Weighted base offering Superior Stability
- Strong interlocking between base & cone
- Increase Visibility
- 1 Meter Height
- Made in UAE

### ITEM DESCRIPTION:

TARFFIC CONE 1000 MM

HEIGHT OF CONE: 36 INCH/ 1 MTR

WEIGHT: 4.8 KG

## ROAD TRAFFIC CONE

### PICTURES



## ROAD TRAFFIC CONE

### PICTURES





# FINE PLASTIC WASTE ROTATION

## TANK CONNECTORS

ITEM DESCRIPTION	SIZE	MATERIAL	COLOR	QTY/CARTOON
TANK CONNECTOR 1"	1" BSP	POLYPROPYLENE	WHITE	200 PCS
TANK CONNECTOR 1 1/2"	1 1/2" BSP	POLYPROPYLENE	WHITE	100 PCS
TANK CONNECTOR 2"	2" BSP	POLYPROPYLENE	WHITE	80 PCS

Tank connectors are made of virgin food grade polypropylene with UV protection and washers are made of food grade EPDM material for long life.



TANK AIRVENT 1 INCH

AIRVENT 2 INCH

PANEL TANK AIRVENT  
2 1/2"

## ROAD BARRIERN FITTINGS



ROAD BARRIER TOP CAP 3"



ROAD BARRIER DRAIN PLUG 1 <sup>1</sup>/<sub>4</sub>"

## **POLYETHYLENE SHEET GAUGE & SIZE**



# FINE PLASTIC WASTE ROTATION

## POLYETHYLENE SHEET GAUGE & SIZE

S/N	DESCRIPTION	GAUGE	UNIT
1	3.60 X 5 MTR	100	ROLL
2	3.60 X 10/11/12 MTR	200	ROLL
3	3.60 X 10/11/12 MTR	300	ROLL
4	3.60 X 10/11/12/ MTR	400	ROLL
5	3.60 X 10/11/12/ MTR	500	ROLL
6	3.60 X 10/11/12/ MTR (HD)	500	ROLL
7	3.60 X 10/11/12/ MTR	700	ROLL
8	3.60 X 10/11/12/ MTR	800	ROLL
9	3.60 X 10/11/12/ MTR (1000 LD)	900	ROLL
10	3.60 X 10/11/12/ MTR (1000 MD)	1000	ROLL
11	3.60 X 10/11/12/ MTR (HD)	1000	ROLL
12	3.60 X 10 MTR	1200	ROLL
13	4 X 50 MTR	500	ROLL
14	4 X 25 MTR	1000	ROLL
15	4 X 25 MTR	1200	ROLL
16	4 X 25 MTR	1500	ROLL

The above sizes are standard as per the market requirement. However, we can make any size as per your requirement.

# POLYETHYLENE SHEET GAUUGE & SIZE



**Polyethylene Sheet 800 Gauge**



**Polyethylene Sheet 200 Gauge**



**Polyethylene Sheet 500 Gauge**



**Polyethylene Sheet 3.6 \* 12M \*  
1000 Gauge**

# POLYETHYLENE SHEET GAUAGE & SIZE



**Polyethylene Sheet 4 \* 25M \*  
1000Gauge**



**Polyethylene Sheet 4 \* 25M \*  
500Gauge**



**Polyethylene Sheet 1200 Gauge**



# FINE PLASTIC WASTE ROTATION

## Underground Warning Tape



**Fine Plastic Waste Rotation** Brand Underground Warning tape (UWT) is a coloured polyethylene Underground marker tape with a printed warning message for marking underground buried services. Underground warning marker tape is an economical way of warning excavators of buried pipes and cables below ground. Underground warning tapes can be manufactured with any text, in any language, any coloured and size manufactured to your specification.

### Specification:

- Material - Linear low density polyethylene.
- Lead free pigments with virgin grade film.
- Soil tolerance from pH 2.5 to pH 11.0 inclusive,
- Thickness range from 30micron to 500micron.
- Underground Warning Tapes can be manufactured in various width, thickness with customized text & roll length.

### Size:

Width in mm	Thickness in Micron	Roll Length in Mtrs
50	50	365
50	500	200
75	30	250
75	40	500
75	50	500
75	100	500
100	100	500
100	150	500
100	200	500
150	100	365
150	150	500
200	100	500
250	150	500
300	150	500

# FINE PLASTIC WASTE ROTATION

## Polymeric Cable Protection Cover/ Tile



“Fine Plastic Waste Rotation” Brand Polymeric Cable Protection Covers / tiles are a heavy duty protection product manufactured from high impact recycled polyethylene sheet and designed to withstand damage from plant and hand tools. They are ideal for HV power cables from 22KV- 400KV including HVDC cables, as well as fiber optic and gas pipe / water main connections. Cable covers (or cable tiles) are fully joined, laid overlapped and held firm with plastic jointing pegs. They are a direct replacement for concrete cable covers and steel plate tiles.

### ADVANTAGE:

There are many benefits over concrete and steel plate covers / tiles:

- Gives the clearest warning to third parties.
- Can be custom made with sizes to suit
- Contains company logo in bold warning text for clear identification.
- Damages to cables less likely therefore reducing the cost of repairs and supply disruption.
- Lightweight and easy to install irrespective of weather conditions.
- Durable with good impact resistance.
- Cable Protection Cover/ Tiles can be manufactured in various thickness with customized text & length.



### Size:

Width in mm	Thickness in mm	Length in mm
150	3 to 12	1000
200	3 to 12	1040
240	3 to 12	1000
244	3 to 12	1000
250	3 to 12	1000
300	3 to 12	1200
400	3 to 12	1200
450	3 to 12	1200

Width in mm	Thickness in mm	Length in mm
150	2.5 to 3	40
200	2.5 to 3	40
300	2.5 to 3	40
150	5	25
200	5	25
300	5	20



# FINE PLASTIC WASTE ROTATION

## Warning Boards



“**Fine Plastic Waste Rotation**” Brand PE Warning boards are manufactured from high impact polyethylene. Warning board are more flexible product supplied in roll form for quick and easy application. Suitable for low voltage, telecoms/ fiber optics cables, gas pipe and water pipelines.

### ADVANTAGE:

- Material — Polyethylene.
- Soil tolerance from pH 2.5 to pH 11.0 inclusive.
- Super flexible. \* Bright color offer great visual warning.
- Suitable for Fiber Optic Lines.
- Warning Boards can be manufactured in various width, thickness with customized text & roll length.


### Size:

Width in mm	Thickness in mm	Length in mm
100	1	200
150	2	100
200	2 to 2.5	40 to 100
300	2 to 2.5	40 to 100
300	2.5 to 3	40



# FINE PLASTIC WASTE ROTATION

## Alu. Foil Detectable Warning Tape



**“Fine Plastic Waste Rotation”** Brand Aluminum Foil detectable warning tape is a detectable aluminum foil tape totally encapsulated between a polythene base layer and a printed polythene protective covering. This detectable underground warning tape is a traceable detectable tape for marking underground pipes, cables and many other underground non-metallic services. The detectable underground warning tape can be located by using cable locator and is therefore essential to lay over non-metallic pipes (Water or Gas) or Fiber Optic Cables.

### Specification:

Specially manufactured to customers requirement.

Not less than 99.5% purity aluminum foil.

High Tensile strength.

Totally encapsulated aluminum foil prevents corrosion.

### ADVANTAGE:

- Available in customize text.
- Available in various colours.
- Width from 50 mm to 600mm.
- Thickness from 100 to 500 micron.
- Easy traceable by the help of cable locator.
- Aluminum Foil Detectable Warning Tape can be manufactured in various width, thickness with customized text & roll length.

### Size:


50	MM	X	100	MICRON	X	500	MTRS
100	MM	X	100	MICRON	X	500	MTRS
100	MM	X	150	MICRON	X	500	MTRS
200	MM	X	100	MICRON	X	500	MTRS
200	MM	X	150	MICRON	X	500	MTRS
300	MM	X	150	MICRON	X	250	MTRS
300	MM	X	200	MICRON	X	250	MTRS
300	MM	X	500	MICRON	X	250	MTRS





# FINE PLASTIC WASTE ROTATION

## Anti Corrosive S.S Wire Detectable Warning Tape



“Fine Plastic Waste Rotation” Brand Anti-Corrosive S.S wire Detectable Warning Tape is a coloured plastic detectable tape for detecting buried underground services. S.S Wire detectable tape is manufactured using one or more stainless steel wires incorporated in sinusoidal pattern and encapsulated between two layers of low density lead free polyethylene film.

Anti-Corrosive S.S Wire Detectable Warning Tape can be easily traced with the help of standard cable locator even after many years of service been laid underground.

### Product Feature:

- Specially manufactured to customers requirements.
- Stainless Steel Wire 0.5 - 0.7 mm. \* High Tensile strength.
- Totally encapsulated S.S wire between two layers of low density lead free polyethylene film to prevent corrosion.
- S.S Wire is incorporated in sinusoidal pattern.

### ADVANTAGE:

- Available in customized text.
- Available in various colours.
- Width from 50 mm to 600mm.
- Thickness from 100 to 500 micron.
- Easy traceable by the help of cable locator.




### Size:

Width in mm	Thickness in Micron	Roll length in MTRS
50	100	500
50	150	500
100	100	500
100	150	250
200	100	250
200	150	250
300	150	250
300	200	250
300	500	250



# FINE PLASTIC WASTE ROTATION

## Underground Warning Mesh (Non Detectable / Detectable)



**“Fine Plastic Waste Rotation”** Brand underground warning mesh is a colour edpolyolefin mesh or marking buried underground services. The warning mesh is manufactured and tested to BS EN 12613:2001. The brightly coloured underground warning mesh has a middle strip that can be printed with a standard & customized warning message for easy) recognition of services during excavation and is ideal as a signal mesh.

### Available in:

- Widths : 100mm, 200mm & 300mm.
- Lengths : 100m to 250m.
- Warning mesh can be manufactured in any colour, text or logo to customer's specifications.

## Underground Warning Mesh Detectable

**“Fine Plastic Waste Rotation”**Brand Detectable underground warning mesh is manufactured with traceable wire in the tape that identifies the danger of the services laid beneath. This allows to locate pipes and cables beneath ground easily and protect services from any damage. Detectable warning mesh is a coloured tape for marking and detecting buried underground cables and pipes. This mesh can be used in conjunction with cable & pipe locators for precisely locating plastic pipes and non-live cables in future excavations. This warning mesh can be laid as a trenching tape half way between the cable or pipe and the surface during backfill.

### Available in:

- Widths : 100mm, 200mm & 300mm.
- Lengths : 100m to 250m.
- Detectable Warning mesh can be manufactured in any colour, text or logo to customer's specifications.

